#### Amendments to the Claims

Please amend the claims as follows (the changes are shown with strikethrough for deleted matter and <u>underlining</u> for added matter). A complete listing of the claims is set out below with proper claim identifiers.

- 1. (Original) A curable composition which comprises the following two components:
- (A) a polyether polymer (I) having at least one crosslinkable functional group and a number average molecular weight determined by gel permeation chromatography of 10,000 or higher, and
- (B) a vinyl polymer (II) having at least one crosslinkable functional group at a polymer terminus and compatible with the polyether polymer.
- 2. (Original) The curable composition according to Claim 1 wherein the polyether polymer (I) has a number average molecular weight determined by gel permeation chromatography of not lower than 15,000.
- 3. (Currently Amended) The curable composition according to Claim 1 or 2 Claim 2

wherein the vinyl polymer (II) has a constituting unit derived from an alkyl acrylate.

4. (Currently Amended) The curable composition according to any one of Claims 1 to 3Claim 3

wherein the vinyl polymer (II) is obtained by copolymerization of (b1) an alkyl acrylate having an alkyl group of 1 to 3 carbon atoms, (b2) an alkyl acrylate having an alkyl group of 4 to 7 carbon atoms, and (b3) an alkyl acrylate having an alkyl group of 8 to 20 carbon atoms.

5. (Currently Amended) The curable composition according to any one of Claims 1 to 4Claim 4

wherein the vinyl polymer (II) contains the alkyl acrylate in a weight ratio of not lower than 90% per the total of the vinyl monomers composing the vinyl polymer.

### 6. (Currently Amended) The curable composition according to any one of Claims 1 to 5Claim 5

wherein the vinyl polymer (II) contains (b1) the alkyl acrylate having an alkyl group of 1 to 3 carbon atoms in a weight ratio of not lower than 1% and not more than 30% per the total of the vinyl monomers composing the vinyl polymer, (b2) the alkyl acrylate having an alkyl group of 4 to 7 carbon atoms in a weight ratio of not lower than 45% and not more than 95% per the total of the vinyl monomers composing the vinyl polymer, and (b3) the alkyl acrylate having an alkyl group of 8 to 20 carbon atoms in a weight ratio of not lower than 4% and not more than 35% per the total of the vinyl monomers composing the vinyl polymer.

# 7. (Currently Amended) The curable composition according to any one of Claims 4 to 6Claim 6

wherein the weight ratio of (b1) the alkyl acrylate having an alkyl group of 1 to 3 carbon atoms is not lower than 1% and not more than 20% per the total of the vinyl monomers composing the vinyl polymer.

# 8. (Currently Amended) The curable composition according to any one of Claims 4 to 7Claim 7

wherein the weight ratio of (b2) the alkyl acrylate having an alkyl group of 4 to 7 carbon atoms is not lower than 50% and not more than 95% per the total of the vinyl monomers composing the vinyl polymer.

#### 9. (Currently Amended) The curable composition according to any one of Claims 4 to 7Claim 7

wherein the weight ratio of (b2) the alkyl acrylate having an alkyl group of 4 to 7 carbon atoms is not lower than 60% and not more than 93% per the total of the vinyl monomers composing the vinyl polymer.

10. (Currently Amended) The curable composition according to any one of Claims 4 to 7Claim 7

wherein the weight ratio of (b3) the alkyl acrylate having an alkyl group of 8 to 20 carbon atoms is not lower than 5% and not more than 30% per the total of the vinyl monomers composing the vinyl polymer.

11. (Currently Amended) The curable composition according to any one of Claims 4 to 7Claim 7

wherein the weight ratio of (b3) the alkyl acrylate having an alkyl group of 8 to 20 carbon atoms is not lower than 6% and not more than 20% per the total of the vinyl monomers composing the vinyl polymer.

12. (Currently Amended) The curable composition according to any one of Claims 4 to 11 Claim 11

wherein (b1) the alkyl acrylate having an alkyl group of 1 to 3 carbon atoms is methyl acrylate and/or ethyl acrylate.

13. (Currently Amended) The curable composition according to any one of Claims 4 to 12Claim 12

wherein (b2) the alkyl acrylate having an alkyl group of 4 to 7 carbon atoms is butyl acrylate.

14. (Currently Amended) The curable composition according to any one of Claims 4 to 13 Claim 13

wherein (b3) the alkyl acrylate having an alkyl group of 8 to 20 carbon atoms is dodecyl acrylate and/or octadecyl acrylate.

15. (Currently Amended) The curable composition according to any one of Claims 1 to 14Claim 1

wherein the vinyl polymer (II) has a number average molecular weight determined by gel permeation chromatography of not lower than 5,000.

16. (Currently Amended) The curable composition according to any one of Claims 1 to 16Claim 15

wherein the vinyl polymer (II) has a number average molecular weight determined by gel permeation chromatography of not lower than 10,000.

17. (Currently Amended) The curable composition according to any one of Claims 1 to 16Claim 16

wherein the vinyl polymer (II) has a number average molecular weight determined by gel permeation chromatography of not lower than 20,000.

18. (Currently Amended) The curable composition according to any one of Claims 1 to 17Claim 17

wherein the vinyl polymer (II) has a ratio of the weight average molecular weight to the number average molecular weight determined by gel permeation chromatography of lower than 1.8.

19. (Currently Amended) The curable composition according to any one of Claims 1 to 18Claim 1

wherein the polyether polymer (I) essentially has polypropylene oxide as a main chain.

20. (Currently Amended) The curable composition according to any one of Claims 1 to 19Claim 1

wherein the polyether polymer (I) has a crosslinkable silyl group as the crosslinkable functional group.

21. (Currently Amended) The curable composition according to any one of Claims 1 to 20Claim 1

wherein the vinyl polymer (II) is produced by atom transfer radical polymerization.

22. (Currently Amended) The curable composition according to any one of Claims 1 to 21 Claim 1

wherein the vinyl polymer (II) has a crosslinkable silyl group as the crosslinkable functional group at a terminus.

23. (Currently Amended) The curable composition according to any one of Claims 1 to 22 Claim 1

wherein the vinyl polymer (II) has an alkenyl group as the crosslinkable functional group at a terminus.

- 24. (Original) The curable composition according to Claim 23 which further contains a hydrosilyl group-containing compound.
- 25. (Currently Amended) A formed body which is obtained by curing the curable composition according to any one of Claims 1 to 24Claim 1.